

Appli. 11493

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

WELL LOG

Record by Driller
Source Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW 1/4 SW 1/4 sec 16 T. 30 N. R. 2 W. ~~SW~~

Drilling Co. Island Well Drilling Co.

Address Freeland, WA

Method of Drilling Date , 19

Owner Aqua View Community Club Inc.

Address Box 27, Clinton, WA 98236

Land surface, datum 300 ft ^{above} mean sea level

SWL: 278 Date 6/1/60 ^{below} ~~xxxxx~~, 19 Dims: 6 x 296




Diagram of Section

File number

30,25,16M

CORRE- LATION	MATERIAL	From (feet)	To (feet)
------------------	----------	----------------	--------------

(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses if material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Follow log of materials, list all casings, perforations, screens, etc.)

	Domestic supply		
	Hardpan & Silt	0	139
	Clay, blue	139	194
	Hard pan	194	276
	Sand, fine	276	286
	Granite, sand & gravel,		
	water bearing	286	296
	Casing: welded		
	6" from 0 to 287'1"		
	Perforations: No.		
	Screened: Cook w/w		
	Slatted type		
	6" slot from 286 to 296		
	size 10		
	Sealed: potable - 10'		

S. F. No. 7449—OS—12-65.



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: ALT168

RECORD VERIFICATION (check ☒ one)

- ☒ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

Name: Aqua View Community Club Inc.

Street Address: BOX 477

City: FREELAND

State: WA

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: Aqua View Ln

City: _____

County: Island

T. 30N R. 02E W.M. Sec. 16 NW 1/4 of the SW 1/4

FOR AGENCY USE ONLY

Latitude: 48 5.084878

Longitude: 122 34.04598

Elevation at land surface _____

RECEIVED
MAR 23 2007
DEPT. OF ECOLOGY

273

feet

meters (circle one)

Additional Information, if available:

- ☐ Location marked on topographic map (please attach)
- ☐ Location marked on air photo (please attach)

- ☒ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated

- ☐ Digital Altimeter
- ☐ Topographic Map
- ☒ Other: Computer Generated from
DEM and GPS XY Coordinates

Tag placed and well
GPS'd by:



FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

Right Across From Coral St. In Big Gray Shack

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well?

☐

Yes

☒

No

If yes, where was tag placed?

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 30N/02E-16

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right #

Date Issued:

Circle One:

Application

Permit

Certificate

Claim

Exempt

Appli. 11493

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

WELL LOGRecord by DrillerSource Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW 1/4 SW 1/4 sec 16 T. 30 N. R. 2 W.

Drilling Co. Island Well Drilling Co.Address Freeland, WA

Method of Drilling Date , 19


Owner Aqua View Community Club, Inc.Address Box 27, Clinton, WA 98236Land surface, datum 300 ft. ^{above} mean sea levelSWL: 278 Date 6/1/60 ^{below} Dims: 6 x 296

Diagram of Section

File number 30,25,16M

CORRE- LATION	MATERIAL	From (feet)	To (feet)
------------------	----------	----------------	--------------

(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)

	Domestic supply		
	Hardpan & Silt	0	139
	Clay, blue	139	194
	Hard pan	194	276
	Sand, fine	276	286
	Granite, sand & gravel,		
	water bearing	286	296
	Casing: welded		
	6" from 0 to 287'1"		
	Perforations: No.		
	Screened: Cook w/w		
	Slatted type		
	6" slot from 286 to 296		
	size 10		
	Sealed: potable - 10'		

Turn up

Sheet . . . of . . . sheets